



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/720,186	11/25/2003	Joseph Dela Rutledge	YOR920030255US1	4211
21254 7590 05/15/2007 MCGINN INTELLECTUAL PROPERTY LAW GROUP, PLLC 8321 OLD COURTHOUSE ROAD SUITE 200 VIENNA, VA 22182-3817			EXAMINER SHERMAN, STEPHEN G	
			ART UNIT 2629	PAPER NUMBER
			MAIL DATE 05/15/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/720,186

Applicant(s)

RUTLEDGE ET AL.

Examiner

Stephen G. Sherman

Art Unit

2629

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 04 January 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-22 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-22 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 25 March 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. This office action is in response to the amendment filed the 4 January 2007.

Claims 1-22 are pending.

Response to Arguments

2. Applicant's arguments with respect to claims 1-20 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claim 4 recites the limitation "said cursor movement signal". There is insufficient antecedent basis for this limitation in the claim.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2629

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1-7, 10-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Engle et al. (US 5,541,622).

Regarding claim 1, Engle et al. disclose a controller for controlling a cursor, comprising:

an identifying module for identifying at least one of a first period when a cursor is in motion and a second period when said cursor is not in motion (Column 4, lines 11-22, column 7, lines 3-18, lines 29-43 and column 8, lines 35-46 explain that the capacitive sensor arrangement allows for the determination of different periods of time in which a user is controlling the cursor and when a user is not controlling the cursor. This means that the circuit is able to identify a period when the cursor is in motion and when the cursor is not in motion.); and

a calibrating module for calibrating an input parameter signal using a first hands-off test during said first period and a second hands-off test, different than said first hands-off test, during said second period (Column 3, line 64 to column 4, line 10, column 6, line 64 to column 7, line 2 explain that during a period of time in which a user is not touching the joystick, i.e. the cursor is not in motion, that the signal is calibrated such that the signals received are equivalent to zero force, i.e. no cursor movement. It is also explained that when it is determined that a user's hand is detected, i.e. the cursor is in motion, that the bias force information and the sensed force values are used

Art Unit: 2629

together to control the movement of the cursor on the display. In other words, when the joystick is not being used, the signals are calibrated to define zero force, however, when the joystick is in use, the signals are calibrated using the measured signal and the previously known bias force information, thus the two tests are different from each other.).

Regarding claim 2, Engle et al. disclose the controller according to claim 1, wherein said identifying module inputs said input parameter signal from a force sensor (Column 3, line 64 to column 4, line 10 explain that the force sensing elements are measured to acquire the input signal.), and wherein said calibrating module outputs a calibrated input parameter signal to an output module (Column 6, line 64 to column 7, line 2 explain that the processor calibrates the received force signal, where the calibrated signal is what will be output to define cursor movement.).

Regarding claim 3, Engle et al. disclose the controller according to claim 2, wherein said input parameter signal comprises an input parameter signal detected during a period when a mouse is untouched by a user (Column 3, line 64 to column 4, line 3 explains that when the joystick is not being used, that a signal level is detected and bias force information is generated from the measured signals. See also column 6, line 64 to column 7, line 2.).

Regarding claim 4, Engle et al. disclose the controller according to claim 2, wherein a transfer function for generating said cursor movement signal comprises a dead band within which said cursor movement signal causes no cursor movement for a non-zero input parameter signal (Column 3, line 64 to column 4, line 3 explains that when the joystick is not being used, that a signal level is detected, which means that the input signal is non-zero, however, no cursor movement will occur.).

Regarding claim 5, Engle et al. disclose the controller according to claim 1, wherein said calibrating module calibrates said input parameter signal during a hands-off period (Column 3, line 64 to column 4, line 3 explains that when the joystick is not being used, that a signal level is detected and bias force information is generated from the measured signals. See also column 6, line 64 to column 7, line 2.).

Regarding claim 6, Engle et al. disclose the controller according to claim 1.

Engle et al. also disclose wherein said first and second hands-off tests are used by said calibrating module to determine a hands-off period during which a device for controlling said cursor is not being touched by a user (As explained in the rejection of claim 1, the second test is used during the second period which is when the cursor is not in motion, which is when a user is not touching the device.), and

wherein said calibrating module calibrates a significant input parameter signal by identifying an input parameter signal detected during said hands-off period as having a zero value, relative to which said significant input parameter signal is measured (As

explained in the rejection of claim 1, when a joystick is not being used, i.e. a hand is not touching the joystick, a signal level is measured and set to a zero level.).

Regarding claim 7, Engle et al. disclose the controller according to claim 1, wherein said input parameter signal is calibrated to inhibit a cursor drift (Abstract).

Regarding claim 10, this claim is rejected under the same rationale as claims 1 and 2.

Regarding claim 11, Engle et al. disclose the cursor control system according to claim 10, further comprising:

an output module which receives a calibrated input parameter signal from said calibrating module and outputs a cursor movement signal based on said calibrated input parameter signal (Column 1, lines 14-22, column 6, line 64 to column 7, line 2 and column 7, lines 36-38 explain that the calibrated signal is provided to a display as pointing data for the input device, meaning that the signal must be output to provide the coordinate information and thus there inherently will be an output module able to output the data.).

Regarding claim 12, Engle et al. disclose the cursor control system according to claim 10, wherein said force sensor comprises a pointing device which is integrally-formed in a keyboard assembly (Figures 5A and 5B).

Regarding claim 13, this claim is rejected under the same rationale as claim 5.

Regarding claim 14, this claim is rejected under the same rationale as claim 9.

Regarding claim 15, this claim is rejected under the same rationale as claim 9.

Regarding claim 16, this claim is rejected under the same rationale as claim 12.

Regarding claim 17, please refer to the rejection of claim 16, and furthermore Engle et al. also disclose a display device for displaying a cursor controlled by said cursor control system (Column 1, lines 14-22).

Regarding claim 18, this claim is rejected under the same rationale as claim 1.

Regarding claim 19, this claim is rejected under the same rationale as claims 1 and 6.

Regarding claim 20, this claim is rejected under the same rationale as claim 1.

Regarding claim 21, Engle et al. disclose the controller according to claim 1, wherein said controller is included in a pointing stick system, and said input parameter

Art Unit: 2629

signal measures a force applied to a point stick in said pointing system (Please refer to the rejection of claim 1, and Figures 5A and 5B.).

Claim Rejections - 35 USC § 103

7. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

8. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

9. Claims 8-9 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Engle et al. (US 5,541,622) in view of AAPA (Page 1, line 13 to page 3, line 13 of the specification.).

Regarding claim 8, Engle et al. disclose the controller according to claim 1.

Art Unit: 2629

Engle et al. fail to teach wherein said second hands-off test is less stringent than said first hands-off test.

AAPA discloses of two different hands-off tests, one of which being less stringent than the other (Page 2, line 20 to page 3, line 8 of the specification states that when a cursor is in motion a more stringent test is best to be used and that when a cursor is not in motion that a less stringent test is best to be used.).

Therefore it would have been obvious to "one of ordinary skill" in the art at the time the invention was made to make the tests taught by Engle et al. have the testing times taught by the tests of the AAPA in order to allow for the correct cursor position data to be detected.

Regarding claim 9, Engle et al. disclose the controller according to claim 1.

Engle et al. fail to teach wherein said second hands-off test is less stringent than said first hands-off test.

AAPA discloses of two different hands-off tests, one of which being less stringent than the other (Page 2, line 20 to page 3, line 8 of the specification states that when a cursor is in motion a more stringent test is best to be used and that when a cursor is not in motion that a less stringent test is best to be used.).

Therefore it would have been obvious to "one of ordinary skill" in the art at the time the invention was made to make the tests taught by Engle et al. have the testing times taught by the tests of the AAPA in order to allow for the correct cursor position data to be detected.

Engle et al. and AAPA fail to explicitly teach wherein said first hands-off test comprises a duration of at least about 5 seconds, and said second hands-off test comprises no more than about 0.53 seconds, however, AAPA does disclose of the tests being 2.88 seconds and .53 seconds.

Therefore it would have been an obvious design choice to “one of ordinary skill” in the art at the time the invention was made to make the test lengths taught by Engle et al. and AAPA 5 seconds and .53 seconds in order to allow for the proper detection of the signals to take place.

Regarding claim 22, Engle et al. disclose the controller according to claim 1.

Engle et al. fail to teach wherein said calibrating said input parameter signal comprises sampling said input parameter signal using a first sampling time during said first period and a second sampling time different than said first sampling time during said second period.

AAPA discloses of two different hands-off tests, wherein calibrating an input parameter signal comprises sampling said input parameter signal using a first sampling time during a first period and a second sampling time different than said first sampling time during a second period (Page 2, line 20 to page 3, line 8 of the specification states that when a cursor is in motion a more stringent test is best to be used and that when a cursor is not in motion that a less stringent test is best to be used.).

Therefore it would have been obvious to “one of ordinary skill” in the art at the time the invention was made to make the tests taught by Engle et al. have the testing

times taught by the tests of the AAPA in order to allow for power savings to be realized, since when the joystick is not being touched the cursor is not to be used and therefore the input signal would not need to be updated as often.

Conclusion

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Stephen G. Sherman whose telephone number is (571) 272-2941. The examiner can normally be reached on M-F, 8:00 a.m. - 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Amr Awad can be reached on (571) 272-7764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Art Unit: 2629

SS

7 May 2007

AMR A. AWAD
SUPERVISORY PATENT EXAMINER
Amr Awad